PRODUCT CATALOG

TEST & INSPECTION EQUIPMENT FOR THE FIRE ALARM AND LIFE SAFETY INDUSTRIES

www.sdifire.com

G smokecenturion™













FOR OVER 20 YEARS...

SDi has cultivated a reputation as the world's leading provider of specialized equipment for the fire protection and security industries.

Our partnerships with detector manufacturers and affiliations with industry associations provide critical insight into the fire detection market and ensure our products are compatible, code compliant, and meet all industry standards.

We are dedicated to introducing exceptional products and innovative solutions to the fire and security industries, providing quality today and advancing technology for tomorrow. solo

CONTENTS

AEROSOLS

| Solo AI0 Aerosol Smoke | 4 |
|-------------------------|---|
| Solo C6 CO Aerosol | 4 |
| A7 Air Detector Duster | 4 |
| Blowout Detector Duster | 4 |
| SmokeSabre | 5 |
| Smoke Centurion | 5 |

SOLO DETECTOR TESTERS

| Solo 330 Dispenser | 6 |
|---------------------------------|---|
| Solo 332 Dispenser | 6 |
| Solo 460 Cordless Heat Tester | 7 |
| Solo 461 Heat Detector Test Kit | 7 |

Solo 200 Removal Tool......8

SOLO ACCESS POLES

| Solo 101 4' Ext | ension Pole | 9 |
|-----------------|-------------|---|
| Solo 108 8' Acc | cess Pole | 9 |
| Solo 100 15' Ad | ccess Pole | 9 |

SOLO 365

| Solo 365 Test Kit | 10, | |
|---------------------------|-----|--|
| Solo 365 Smoke Cartridges | | |
| Solo 365 ASD Adapter | 11 | |

TESTIFIRE

| Testifire 1001I | 3 |
|---------------------------|---|
| Testifire 200 l l | 3 |
| Testifire CO CapsulesI | 3 |
| Testifire Smoke CapsulesI | 3 |
| Testifire KitsI | 4 |

TRUTEST SENSITIVITY TESTING

| Trutest Unit | 5 |
|-------------------|----|
| Smoke 400 Aerosol | 15 |

SOLO TEST KITS

| Solo Smoke Starter Kits | 16 |
|----------------------------|----|
| Solo Smoke, Heat & CO Kits | 16 |
| Solo & Trutest Kits | 17 |
| Smart 365 Kit | 81 |

ALARM COMPONENT TESTERS

| Cell Checker | 20 |
|---------------|----|
| Power Checker | 20 |
| Duct Checker | 20 |
| dB Checker | 21 |
| AV Checker | |

SPEECH INTELLIGIBILITY TESTING

| SM50 Speech Intelligibility Meter | 22 |
|------------------------------------|----|
| BTB65 Talkbox | 22 |
| Speech Intelligibility Testing Kit | 23 |

| SDi Service | 2 | 2 |
|-------------|---|---|
|-------------|---|---|

SPARE & MISCELLANEOUS PARTS

| Solo Accessories | 25 |
|--------------------------|----|
| Solo 610 Equipment Bag | 25 |
| Solo 726 Charger | 25 |
| Solo 743 PDA Holder | 25 |
| Solo 760 Battery Baton | 25 |
| Testifire Accessories | 25 |
| Testifire Remote Control | 25 |
| Trutest Pole Clamp | 25 |

AEROSOLS



SOLOAIO

Non-flammable aerosol smoke for the functional testing of smoke detectors. For use by hand or with a dispenser (Solo 330/332). Silicone-free. Sold in cases of 12.



SOLO C6 AEROSOL CO



Non-flammable aerosol CO for the functional testing of CO detectors. For use by hand or with a dispenser (Solo 330/332). Sold in cases of 12.

A7 AIR DETECTOR DUSTER



Non-flammable hand-held canned air solution. A7 Air is silicone-free and conforms to new global aerosol regulations. A7 Air 10oz cans are sold in cases of 12.



BLOWOUT DETECTOR DUSTER



BlowOut hand-held air duster is perfect for use with fire alarm equipment. BlowOut comes with a directional straw, allowing access to hard to reach areas. BlowOut 10oz cans are sold in cases of 12.





SMOKESABRE



Hand-held smoke detector tester is perfect for smaller jobs.

Hand-held aerosol smoke for the functional testing of smoke detectors. Silicone-free. No CFC's. Sold in cases of 12.





Gsmokecenturion[™]

SMOKE CENTURION



Aerosol smoke for the functional testing of smoke detectors. For use by hand or with a dispenser (Solo 330/332). Silicone-free. No CFC's and low GWP Propellant. Sold in cases of 12.



AEROSOL DISPENSERS



SOLO 330 AEROSOL DISPENSER



Solo 330 is universal, lightweight and simple to use. Its swing frame allows for use at any angle.

Use with Solo AIO or Smoke Centurion (M8) smoke detector test aerosol or Solo C6 for functional testing of CO detectors. *Lifetime limited warranty.*



SOLO 332 AEROSOL DISPENSER



Solo 332 is a universal, lightweight and simple to use dispenser with a swing frame for use at any angle.

Use with Solo AI 0 or Smoke Centurion (M8) smoke detector test aerosol or Solo C6 for functional testing of CO detectors. *Lifetime limited warranty.*





sales@sdifire.com



HEAT DETECTOR TESTING

Tests

Up To 194°F



SOLO 460 CORDLESS HEAT TESTER



The industry's leading standalone heat detector tester. The battery-powered Solo 460 is lightweight and easy to use.

Suitable for fixed temperature, rate-of-rise, and combination detectors up to 194°F/90°C.

Contact us for Solo 423/424 Corded Heat Detector Tester.

SOLO 461 HEAT DETECTOR **TEST KIT**





Includes:

Ix Solo 460 Cordless Heat Head Unit 2x Solo 760* Battery Batons Ix Solo 726* Charger

*Kit pictured with Solo 770 battery and 727 charger. Coming soon to SDi





SDi 2020







SOLO 200 UNIVERSAL DETECTOR REMOVAL TOOL

SOLO200

The Solo 200's universal design can accommodate the installation and removal of the widest range of detectors.

Color-coded heads rotate to provide a combination of sizes and settings to suit detectors of varying sizes and shapes. For use with Solo Access Poles. Lifetime limited warranty.

SOLO ACCESS POLES



SOLO 100 15' TELESCOPIC ACCESS POLE



The lightweight, easy to use Solo 100 Access Pole extends from 4.8ft to 14.9ft. Add up to three extension poles to test up to 29.5ft.

Minimum possible whip or bend at height. Certified non-conductive, protecting both the engineer and overhead live equipment from inadvertent shorts. Compatible with all Solo, Testifire, and Trutest head units. *Lifetime limited warranty.*



SOLO 108 8' TELESCOPIC ACCESS POLE



The lightweight, easy to use Solo 108 Access Pole adds 7.2ft to your testing height capability.

Minimum possible whip or bend at height. Certified non-conductive. Compatible with all Solo, Testifire, and Trutest head units. *Lifetime limited warranty.*



SOLO 101 4' EXTENSION POLE



The lightweight, easy to use Solo 101 Extension Pole adds 3.9ft to your testing height capability. Can be used on its own or add up to three extension poles to extend the Solo 100 or Solo 108.

Minimum possible whip or bend at height. Certified non-conductive. *Lifetime limited warranty.*





SOLO 365 ELECTRONIC SMOKE DETECTOR TESTER

Solo 365, the latest innovation in Solo's detector tester line, uses non-hazardous, non-pressurized, environmentallyfriendly cartridge technology for smoke generation.

Solo 365 allows for faster testing and creates less smoke waste with an auto-start proximity sensor that automatically generates smoke when the detector enters the cup. Its unique clearing mode all but eliminates repeat alarms by clearing remaining smoke.

SDi 2020



SOLO 365 SMOKE **DETECTOR TESTER**

SOLO365 🕢 🕛 🖤

Includes:

Ix Solo 365 Smoke Detector Tester Ix Solo ES1 Smoke Cartridge 1x Solo 371 Smoke Generator 1 x 370 Lithium Ion Battery Pack Ix USB Universal Charger





Solo 372 transforms your 365 into an ASD detector tester. Easily fitted to allow for the functional testing of ASD systems.

CONSUMABLES

| Solo 365 Smoke Cartridges (6-Pack) | SOLOES6 |
|------------------------------------|---------|
| Solo 365 Battery Pack | SOLO370 |
| Solo 365 Smoke Generator | SOLO371 |
| | |

Testifire is the world's leading multicriteria detector tester. The all-in-one Testifire allows for faster and more efficient testing of both single and multi-sensor detectors.

Choose Testifire 1001 for testing heat and smoke or Testifire 2001 to test heat, smoke, and CO.

Testifire can deliver each stimulus individually or all three stimuli simultaneously, increasing productivity and lowering the overall testing time by up to 66%. A built-in clearing cycle provides rapid detector reset with no repeat alarms.

12

Heat 1

statu

Tests

Up To

212°F

MULTICRITERIA DETECTOR TESTERS



CONSUMABLES

Testifire Smoke Capsules (3-Pack)

TS3



TESTIFIRE SMOKE, HEAT AND CO TEST KIT

TF2001

Includes:

1 x Testifire 2000 Head Unit
1 x TS1 Smoke Capsule
1 x TC1 CO Capsule
1 x Solo 726* Battery Charger
2 x Solo 760* Battery Batons

CONSUMABLES

| Testifire Smoke Capsules (3-Pack) | TS3 |
|-----------------------------------|-----|
| Testifire CO Capsules (3-Pack) | TC3 |

*Pictured with Solo 770 battery and 727 charger. Coming soon to SDi

MULTICRITERIA TEST & INSPECTION KITS

SMOKE & HEAT DETECTOR TESTING KIT



24ft Reach

Includes:

Testifire 1001* Smoke & Heat Kit 1 x Solo 100 15' Access Pole 1x Solo 101 4' Extension Pole Lx Solo 200 Removal Tool 1x Solo 610 Carrying Bag



SMOKE & HEAT DETECTOR TESTING KIT



TF1823 🥢 🕼 🗍

Includes:

Testifire 1001* Smoke & Heat Kit 1 x Solo 100 15' Access Pole 3x Solo 101 4' Extension Poles Lx Solo 200 Removal Tool Ix Solo 610 Carrying Bag



SMOKE. HEAT & CO **DETECTOR TESTING KIT**



Includes:

Testifire 2001* Smoke, Heat & CO Kit 1 x Solo 100 15' Access Pole Lx Solo 101 4' Extension Pole Lx Solo 200 Removal Tool Ix Solo 610 Carrying Bag



24ft

Reach

SMOKE. HEAT & CO DETECTOR TESTING KIT



Includes:

Testifire 2001* Smoke, Heat & CO Kit 1 x Solo 100 15' Access Pole 3x Solo 101 4' Extension Poles Lx Solo 200 Removal Tool Ix Solo 610 Carrying Bag

30ft

Reach

*Kits are pictured with Solo 770 battery and 727 charger. Coming soon to SDi

sales@sdifire.com

DETECTOR SENSITIVITY TESTING





TRUTEST SMOKE DETECTOR SENSITIVITY TESTER



Over time, smoke detector sensitivity can drift, becoming more or less sensitive. This fluctuation in sensitivity can cause the alarm to function ineffectively. Using detector testers to check the sensitivity of fire alarms is not only required by law but also provides greater control over the sensitivity of the fire alarms you're inspecting.

Trutest combines functional and sensitivity testing in one convenient package. With only one test, Trutest reads the precise detector sensitivity, indicating whether the detector needs to be recalibrated or replaced.



TRUTEST SMOKE DETECTOR SENSITIVITY TEST KIT



Includes:

I x Trutest 801 Smoke Detector Sensitivity Tester I 2x Trutest Smoke 400 Detector Test Aerosol Canisters I x Storage Case and Pole Bag I x Solo 100 15' Telescopic Access Pole



SMOKE 400 AEROSOL SMOKE DETECTOR TESTER

SMOKE400

Smoke 400 is a non-flammable aerosol that is used with the Trutest 801 to test the detector sensitivity of ionization or photoelectric smoke detectors. Sold with Trutest in the 800 Kit or available separately in cases of 12.



SMOKE STARTER KIT



Includes:

1x Solo 101 4' Extension Pole I x Solo 330 Dispenser 12x Smoke Centurion Aerosols Ix Solo 604 Carrying Bag



l Oft

Reach

SMOKE STARTER KIT



Includes:

Lx Solo 108 8' Access Pole I x Solo 330 Dispenser 12x Smoke Centurion Aerosols Ix Solo 604 Carrying Bag



20ft

Reach

12ft

Reach

SMOKE STARTER KIT



Includes:

1 x Solo 100 15' Access Pole I x Solo 330 Dispenser 12x Smoke Centurion Aerosols Ix Solo 604 Carrying Bag

SMOKE, HEAT & CO **TECHNICIAN KIT**

Includes:

1x Solo 100 15' Access Pole 1x Solo 101 4' Extension Pole Lx Solo 200 Universal Removal Tool I x Solo 330 Dispenser I x Solo 460 Heat Detector Tester Ix Solo 726* Battery Charger 2x Solo 760* Battery Batons 1x Solo 610 Carrying Bag

SMOKE, HEAT & CO ENHANCED **TECHNICIAN KIT**

30ft Reach

24ft

Reach



Includes:

1 x Solo 100 15' Access Pole 3x Solo 101 4' Extension Pole Lx Solo 200 Universal Removal Tool I x Solo 330 Dispenser I x Solo 460 Heat Detector Tester I x Solo 726* Battery Charger 2x Solo 760* Battery Batons 1x Solo 610 Carrying Bag

sales@sdifire.com



O SO detecto

SOLO & TRUTEST KIT



Includes:

Ix Solo 823* Enhanced Technician Kit
Ix Trutest 801 Detector Sensitivity Tester
I2x Smoke 400 Aerosol
I2x Solo A10 Smoke Detector Tester
I2x A7 Air Detector Duster
Ix Cell Checker



ENHANCED SOLO & TRUTEST KIT



Includes:

I x ST I * Solo and Trutest Kit I x Duct Checker I x dB Checker I 2x Smoke Centurion

*Kits are pictured with Solo 770 battery and 727 charger. Coming soon to SDi





ELECTRONIC DETECTOR TEST KITS

COMPACT SMOKE TESTING KIT



Includes:

Ix Smart Kit Backpack (with pole bag attachment)

I x Solo 365 Electronic Smoke Detector Tester

I x Solo III 0 Smart 5.75' Telescopic Pole 3x Solo III Smart I.65' Extension Poles



ELECTRONIC SMOKE TESTING KIT



Includes:

I x Solo 100 15' Access Pole 3x Solo 101 4' Extension Poles I x Solo 200 Removal Tool I x Solo 365 Electronic Smoke Detector Tester I x Solo 610 Carrying Bag



30ft

Reach





ALARM COMPONENT TESTERS



POWER CHECKER



Power Checker uses a patented, high accuracy pulse load test to provide a comprehensive means of testing the state of charge or state of power for more than 30 primary (nonrechargeable) and rechargeable battery types, including NiMH, Li-Ion, alkaline, lithium, coin cell, button type and more. This microprocessor-controlled unit is designed for commercial or home use.

<page-header>



CELL CHECKER



Cell Checker utilizes pulse load technology to provide a comprehensive test of a battery's state of charge and condition. Rather than simply displaying a voltage reading, Cell Checker determines a battery's remaining power capacity by measuring its ability to maintain voltage levels while under load.

Use Cell Checker to test the performance of 2- to 12- volt batteries up to 200AH. Cell Checker also tests SLA batteries.

| | ERY TE | STER STER | |
|---|--|------------------------------|-------|
| | Select correct Connect lead Select correct Connect lead Select select Select | t test mode (s to battery | |
| T | EST 🔪 | | あるもちを |

| Padded Case | CELL01CS | | | |
|---|----------|--|--|--|
| 48" Plier-Type Lead | CELL01LD | | | |
| 48" Clip-Type Lead | CELL01RL | | | |
| Cell Checker Accessory Kit (Case & Strap) | CELLPAC | | | |

ALARM COMPONENT TESTERS

Duct Checker is ideal for annual testing to ensure that the duct detector will sample the differential pressure via the sampling tubes, as required by NFPA 72. Duct Checker is manufacturer approved, easy to use, and ensures accurate results.



DB CHECKER SOUND LEVEL METERS

The ideal tool for measuring the sound pressure levels for audible alarm notification appliances as mandated by the National Fire Alarm & Signaling Code. Two models are available to support either A frequency weighting (*dB02*) or A to C frequency weighting (*dB01*).



DB CHECKER 01/02

DB01/DB02

Specifications:

- Meets IEC651 Type 2 and ANSI S1.4 Type 2 Standards
- Conforms to NFPA 72
- dB01 Measurement Range: 32 to 130 dB at frequencies of 31.5 Hz to 8 KHz
- dB02 Measurement Range: 40 to 130 dB at frequencies of 100Hz to 8.3KHz
- Easy to use
- A or C frequency weighting (*dB01*)
- A frequency weighting (dB02)



AV CHECKER

AV Checker is the ideal device for annual testing to ensure that the duct detector will sample the air velocity as required by NFPA 72, and according to manufacturer's instructions.



SPEECH INTELLIGIBILITY TESTING

Fire safety should never be taken for granted. Having an effective, accurate fire safety system is crucial and reliable testing tools are essential to ensure that system is functioning properly. Voice evacuation alarm systems require specific testing tools to ensure the voice is clear and easily understood. SDi proudly offers Bedrock speech intelligibility testing solutions for use with emergency voice systems.

and spectrum in main menu

0.73 🖪 🖦

IIII.



SPEECH INTELLIGIBILITY TESTER

SM50

Bedrock SM50 is a universal, easy to use speech intelligibility tester for fire safety systems. The SM50 is designed for ease-of-use, with a simple, user-friendly touch screen for precise and basic control. SM50 is capable of taking both STIPA and full STI measurements and includes features such as RTA, FFT, Reverberation Time, Noise Curves, and more. A built-in USB port provides fast and versatile connectivity to your network. Includes a hard case.

- Conforms to IEC65 | Type 2, ANSI S | .4 Type 2
- Complies with NFPA 72 2013, ANNEX D



TALKBOX



Along with the SM50, SDi also offers the BTB65 Talkbox. The Talkbox is a calibrated acoustic signal source for taking STIPA measurements and more. It can play test signals through its built-in loudspeaker, or you can use the line-out feature to play the test signals through other devices. Includes a hard case.

- Easy to use touch screen
- Loudspeaker frequency range 20 15,000 Hz
- Plays back signal at a standardized (calibrated) signal level of 54-72 dB(A) at 1 m
- Signal level can be increased/decreased relative to environment
- Powered through external power supply (included)
- Can be purchased with the SM50 as a bundle or as a standalone unit



INTELLIGIBILITY TESTING KIT & CASE



INTELLIGIBILITY MEASUREMENT KIT

SMBTBKT

All the necessary tools for speech intelligibility measurements using STIPA or Full STI.

Includes:

I x SM50 STIPA Meter I x BTB65 Talkbox I x Custom Hard Case





CUSTOM HARD CASE

SMBTBCS

Custom hard case fits SM50 STIPA Meter and Talkbox along with all their components, including chargers, microphone, wind screen, calibration certificates and more.

Included with the purchase of SMBTBKT, or available for purchase separately.





In addition to providing the best fire and life safety equipment in the industry, SDi also services, maintains and provides support for all our products. With more than 20 years of combined experience, our service staff has the knowledge and skills necessary to keep your equipment performing at its best with minimal downtime. SDi's trained technicians are also available to provide convenient telephone support as well as online training.

SDi's Service Department honors all warranty work, performs routine equipment maintenance and calibration, and can correct problems that may arise with your testing equipment in an efficient, precise, and timely manner.

Our services include:

- Preventative maintenance to extend the life of your equipment and reduce costly repairs
- Routine maintenance to keep your equipment operating at peak efficiency
- Repair and calibration services for:
 - Trutest
 - Cell Checker
 - dB Checker
 - SM50 & BTB65 Talkbox

For service inquiries, please call (732) 751-9266 or email the service team at <u>service@sdifire.com</u>.



SPARE & MISCELLANEOUS PARTS

| MISCELLANEOUS | | SOLO 461 | |
|--------------------------------------|-----------|----------------------------|-----------|
| PDA Holder | SOLO743 | Battery Baton | SOLO760 |
| | | Charger | SOLO726 |
| SOLO 200 | | Silicone Membrane | SPARE100 |
| Solo 200 Transparent Grips | SPARE1002 | Heat Baffle | BAFFLE |
| | | | |
| SOLO 330/332 | | TESTIFIRE | |
| Replacement Red Cup (Solo 330 Only) | SPARE1028 | Testifire Inner Cup | SPARE1048 |
| Silicone Membrane | SPARE1005 | Testifire Membrane Bellows | SPARE1049 |
| | | Testifire Remote Control | TF25 |
| SOLO 365 | | Battery Baton | SOLO760 |
| Solo 365 Battery Pack | SOLO370 | Charger | SOLO726 |
| Solo 365 Smoke Generator | SOLO371 | | |
| Solo 365 Cup & Membrane | SPARE1058 | TRUTEST | |
| Solo 365 Membrane | SPARE1059 | Trutest Pole Clamp | TRUT730 |
| Solo 365 Universal Charger/USB Cable | SPARE1060 | | |

AEROSOL COMPARISON CHART

| | SOLO AI0 | SOLO C6 | A7 AIR | SMOKE CENTURION | SMOKESABRE | BLOWOUT |
|------------------------|----------|---|--|---|--|--------------|
| | | | | | | |
| VOLUME | 4.8 Oz | | 10 Oz | 2.6 Oz | 2.6 Oz | 10 Oz |
| ONE SECOND BURSTS | 600+ | 250 | Varies | 800 | 300 | Varies |
| FLAMMABILITY | | \bigotimes | \bigotimes | • | • | \checkmark |
| SILICONE | | $\begin{pmatrix} \varphi^{1,1,CO} & \\ \vdots & \\ \varphi^{0,1,CO} & \\ \varphi^{0,1} & \\ \varphi^$ | $\begin{pmatrix} \varphi^{1,1CO} A_{\mathcal{K}} \\ \vdots \\ \varphi^{0,0} \\ \varphi^{0,0} \\ \varphi^{0,0} \end{pmatrix}$ | $\begin{pmatrix} \varphi^{\text{LICO}}_{\mathcal{N}} \\ \vdots \\ \varphi^{\text{CO}}_{\mathcal{N}} \\ \varphi^{\text{CO}}_{\mathcal{N}} \end{pmatrix}$ | $\begin{pmatrix} S^{\text{ILICO}} & \\ & &$ | |
| UL | LISTED | LISTED | - | LISTED | UL | - |
| BASE | Alcohol | - | - | Oil | Oil | - |
| HANDHELD/ DISPENSER | Both | Both | Handheld | Both | Handheld | Handheld |
| PRODUCT CODE: | SOLOA10 | SOLOC6 | A7AIR | M 8 | SABRE | BLOWOUT |

SDi SALES TERRITORIES

Northeast Region Pat Ryan pat.ryan@sdifire.com Phone: (732) 299-2402 Southeast Region Lynde Bailey lynde.bailey@sdifire.com Phone: (813) 508-5111 **Midwest Region**

Andrea Barghini andrea.barghini@sdifire.com Phone: (3|2) 402-4550

Southern Region Lynde Bailey

lynde.bailey@sdifire.com Phone: (813) 508-5111

Northwest Region

Mariana Ferguson mariana.ferguson@sdifire.com

Phone: (208) 982-2479

Southwest Region Ivy Moon

ivy.moon@sdifire.com Phone: (310) 344-6608





Web: www.sdifire.com

Connect with us

🗞 Tel: (732) 751-9266



2 3535 Route 66, Bldg. 6, Neptune, NJ 07753 🔀 Email: sales@sdifire.com

©2020 SDi. All rights reserved.

SDi, LLC